

Sheet 1 of 1

FORM 1449  
FEB 16 2005  
PATENT & TRADEMARK OFFICE

[illegible]

PATENT TRADEMARK OFFICE

EXAMINER	/Medina Ibrahim/	DATE CONSIDERED	10/16/2006
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.			

FORM 1449\*

## INFORMATION DISCLOSURE STATEMENT

## IN AN APPLICATION

(Use several sheets if necessary)

Docket Number:

12845.0009US01

Application Number:

10/800,200

Applicant: Breddam et al.

Filing Date: March 11, 2004

Group Art Unit: 1638

## U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE

## FOREIGN PATENT DOCUMENTS

	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

MI		Hirota et al., 20-26 June 2004, <i>9th International Barley Genetics Symposium</i> , Brno, Czech Republic, pp. 69-73. "Genetic Variation of Barley Seed Lipxygenase-1: Null Mutants."

23552

PATENT TRADEMARK OFFICE

EXAMINER

/Medina Ibrahim/

DATE CONSIDERED

10/16/2006

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

FORM 1449\*

## INFORMATION DISCLOSURE STATEMENT

Docket Number:

12845.0009US01

Application Number:

10/800200

IN AN APPLICATION

(Use several sheets if necessary)

Applicant: Breddam et al.

Filing Date: March 11, 2004

Group Art Unit: 1638



## U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
MI	4,683,195	07/28/1987	Mullis et al.			
MI	4,800,159	01/24/1989	Mullis et al.			
MI	5,283,184	02/01/1994	Jorgensen et al.			
MI	5,942,661	08/24/1999	Keller			
MI	6,008,034	12/28/1999	Häusler et al.			
MI	6,150,145	11/21/2000	Häusler et al.			
MI	6,274,358	08/14/2001	Holtz et al.			
MI	6,355,862 B1	03/12/2002	Handa et al.			
MI	2003/0074693 A1	04/17/2003	Cahoon et al.			

## FOREIGN PATENT DOCUMENTS

	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
MI	WO 02/053721 A1	07/11/2002	PCT				

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

MI		Alonso, J.M. et al., "Genome-wide insertional mutagenesis of <i>Arabidopsis thaliana</i> ," <i>Science</i> , 301:653-657 (1 Aug. 2003)
MI		American Association of Cereal Chemists, "Approved methods of the American Association of Cereal Chemists," <i>ISBN</i> , 0-913250-86-4, 23 pages (1995)
MI		American Society of Brewing Chemists, "Methods of analysis of the American Society of Brewing Chemists," <i>ISBN</i> , 1-881696-01-4, 10 pages (1992)
MI		Anthon, G.E. and Barrett, D.M., "Colorimetric method for the determination of lipoxygenase activity," <i>J. Agric. Food Chem.</i> , 49:32-37 (2001)
MI		Ashrafi, K. et al., "Genome-wide RNAi analysis of <i>Caenorhabditis elegans</i> fat regulatory genes," <i>Nature</i> , 421:268-272 (16 Jan. 2003)
MI		Auld, D.L. et al., "Rapeseed mutants with reduced levels of polyunsaturated fatty acids and increased levels of oleic acid," <i>Crop Sci.</i> , 32:657-662 (1992)
MI		Axelrod, B. et al., "Lipoxygenase from soybeans," <i>Methods Enzymol.</i> , 71:441-451 (1981)
MI		Bargmann, C.I., "High-throughput reverse genetics: RNAi screens in <i>Caenorhabditis elegans</i> ," <i>Genome Biol. 2: Reviews</i> , 1005.1-1005.3 (31 Jan. 2001)
MI		Bell, E. et al., "A chloroplast lipoxygenase is required for wound-induced jasmonic acid accumulation in <i>Arabidopsis</i> ," <i>Proc. Natl. Acad. Sci. USA</i> , 92:8675-8679 (Sept. 1995)

EXAMINER /Medina Ibrahim/	DATE CONSIDERED 10/16/2006
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

<b>FORM 1449*</b> <b>INFORMATION DISCLOSURE STATEMENT</b>  <b>IN AN APPLICATION</b> (Use several sheets if necessary)	Docket Number: 12845.0009US01	Application Number: 10/800200
	Applicant: Breddam et al.	
	Filing Date: March 11, 2004	Group Art Unit: 1638

MI	Bell, E. and Mullet, J.E., "Lipoxygenase gene expression is modulated in plants by water deficit, wounding, and methyl jasmonate," <i>Mol. Gen. Genet.</i> , 230:456-462 (1991)
MI	Bell, E. and Mullet, J.E., "Characterization of an <i>Arabidopsis</i> lipoxygenase gene responsive to methyl jasmonate and wounding," <i>Plant Physiol.</i> , 103:1133-1137 (1993)
MI	"Bios International," <i>Data, Bios Intern.</i> , 4:38-42 (2001)
MI	Blée, E. and Joyard, J., "Envelope membranes from spinach chloroplasts are a site of metabolism of fatty acid hydroperoxides," <i>Plant Physiol.</i> , 110:445-454 (1996)
MI	Bohland, C. et al., "Differential induction of lipoxygenase isoforms in wheat upon treatment with rust fungus elicitor, chitin oligosaccharides, chitosan, and methyl jasmonate," <i>Plant Physiol.</i> , 114:679-685 (1997)
MI	Burow, G.B. et al., "A peanut seed lipoxygenase responsive to <i>Aspergillus</i> colonization," <i>Plant Mol. Biol.</i> , 42:689-701 (2000)
MI	Casey, R., "Lipoxygenases in the breadmaking process," In: "First European Symposium on Enzymes and Grain Processing." Angelino, S.A.G.F., van Hamer, R.J., Hartingsveldt, W., Heidekamp, F., van der Lugt, J.P., eds., pp. 188-194. TNO Nutrition and Food Research Institute, ISBN, 90-75202-04-0 (1997)
MI	Christensen, A.H. et al., "Maize polyubiquitin genes: Structure, thermal perturbation of expression and transcript splicing, and promoter activity following transfer to protoplasts by electroporation," <i>Plant Mol. Biol.</i> , 18:675-689 (1992)
MI	Colbert, T. et al., "High-throughput screening for induced point mutations," <i>Plant Physiol.</i> , 126:480-484 (June 2001)
MI	Cornish-Bowden, A., "Nomenclature for incompletely specified bases in nucleic acid sequences: Recommendations 1984," <i>Nucleic Acids Res.</i> , 13:3021-3030 (1985)
MI	Croft, K.P.C. et al., "Volatile products of the lipoxygenase pathway evolved from <i>Phaseolus vulgaris</i> (L.) leaves inoculated with <i>Pseudomonas syringae</i> pv <i>phaseolicola</i> ," <i>Plant Physiol.</i> , 101:13-24 (1993)
MI	Davies, C.S. and Nielsen, N.C., "Genetic analysis of null-allele for lipoxygenase-2 in soybean," <i>Crop Sci.</i> , 26:460-463 (May-June 1986)
MI	Dougherty, W.G. and Parks, T.D., "Transgenes and gene suppression: Telling us something new?" <i>Curr. Opin. Cell Biol.</i> , 7:399-405 (1995)
MI	Drost, B.W. et al., "Role of individual compounds in beer staling," <i>Tech. Q. MBAA</i> , 11:127-134 (1974)
MI	Drost, B.W. et al., "Flavor stability," <i>J. Am. Soc. Brew. Chem.</i> , 48:124-131 (1990)
MI	"EBC Analysis Committee, European Brewery Convention, "Analytica - EBC", ISBN, 3-418-00759-7, 13 pages (1998)
MI	Feussner, I. and Wasternack, C., "The lipoxygenase pathway," <i>Annu. Rev. Plant Biol.</i> , 53:275-297 (2002)
MI	Forster, C. et al., "Molecular analysis of a null mutant for pea ( <i>Pisum sativum</i> L.) seed lipoxygenase-2," <i>Plant Mol. Biol.</i> , 39:1209-1220 (1999)
MI	Gardner, H.W. and Grove, M.J., "Method to produce 9(S)-hydroperoxides of linoleic and linolenic acids by maize lipoxygenase," <i>Lipids</i> , 36:529-533 (2001)
MI	Glaever, G. et al., "Functional profiling of the <i>Saccharomyces cerevisiae</i> genome," <i>Nature</i> , 418:387-391 (25 July 2002)
MI	Gönczy, P. et al., "Functional genomic analysis of cell division in <i>C. elegans</i> using RNAi of genes on chromosome III," <i>Nature</i> , 408:331-336 (16 Nov. 2000)
MI	Graef, G.L. et al., "Fatty acid development in a soybean mutant with high stearic acid," <i>J. Am. Oil Chem. Soc.</i> , 62:773-775 (April 1985)
MI	Griffiths, A. et al., "Fruit-specific lipoxygenase suppression in antisense-transgenic tomatoes," <i>Postharvest Biol. Technol.</i> , 17:163-173 (1999)
MI	Gronqvist, A. et al., "Carbonyl compounds during beer production and in beer," <i>Proceedings of the 24th EBC Congress, Oslo</i> , pp. 421-428 (1993)

EXAMINER	/Medina Ibrahim/	DATE CONSIDERED	10/16/2006
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.			

<b>FORM 1449*</b> <b>INFORMATION DISCLOSURE STATEMENT</b>  <b>IN AN APPLICATION</b> (Use several sheets if necessary)	Docket Number: 12845.0009US01	Application Number: 10/800200
	Applicant: Breddam et al.	
	Filing Date: March 11, 2004	Group Art Unit: 1638

MI	Grosch, W. and Schwartz, J.M., "Linoleic and linolenic acid as precursors of the cucumber flavor," <i>Lipids</i> , 6:351-352 (1971)
MI	Hamberg, M., "Trihydroxyoctadecenoic acids in beer: Qualitative and quantitative analysis," <i>J. Agric. Food Chem.</i> , 39:1568-1572 (1991)
MI	Hannon, G.J., "RNA interference," <i>Nature</i> , 418:244-251 (11 July 2002)
MI	Hildebrand, D.F. and Hymowitz, T., "Inheritance of lipoxygenase-I activity in soybean seeds," <i>Crop Sci.</i> , 22:851-853 (July-August 1982)
MI	Holtman, W.L. et al., "Differential expression of lipoxygenase isoenzymes in embryos of germinating barley," <i>Plant Physiol.</i> , 111:569-576 (1996)
MI	Hoseney, R.C., "An overview of malting and brewing," <i>Cereal Foods World</i> , 39:675-679 (Sept. 1994)
MI	Husson, F. and Belin, J.M., "Purification of hydroperoxide lyase from green bell pepper ( <i>Capsicum annuum</i> L.) fruits for the generation of C6-aldehydes in vitro," <i>J. Agric. Food Chem.</i> , 50:1991-1995 (26 Feb. 2002)
MI	The Analysis Committee of The Institute of Brewing, "Institute of Brewing. Methods of analysis," ISBN, 0-900489-10-3, 14 pages (1997)
MI	IUPAC-IUB Joint Commission on Biochemical Nomenclature, "Nomenclature and symbolism for amino acids and peptides. Recommendations 1983," <i>Biochem. J.</i> , 219:345-373 (1984)
MI	Isshiki, M. et al., "Nonsense-mediated decay of mutant waxy mRNA in rice," <i>Plant Physiol.</i> , 125:1388-1395 (March 2001)
MI	Jalloul, A. et al., "Lipid peroxidation in cotton: <i>Xanthomonas</i> interactions and the role of lipoxygenases during the hypersensitive reaction," <i>Plant J.</i> , 32:1-12 (2002)
MI	Jamieson, A.M. and Van Gheluwe, J.E.A., "Identification of a compound responsible for cardboard flavor in beer," <i>Proc. Am. Soc. Brew. Chem.</i> , 29:192-197 (1970)
MI	Jende-Strid, B., "Gene-enzyme relations in the pathway of flavonoid biosynthesis in barley," <i>Theor. Appl. Genet.</i> , 81:668-674 (1991)
MI	Jende-Strid, B., "Genetic control of flavonoid biosynthesis in barley," <i>Hereditas</i> , 119:187-204 (1993)
MI	Jensen, L.G. et al., "Transgenic barley expressing a protein-engineered, thermostable (1,3-1,4)- $\beta$ -glucanase during germination," <i>Proc. Natl. Acad. Sci. USA</i> 93, 3487-3491 (April 1996)
MI	Kamath, R.S. et al., "Effectiveness of specific RNA-mediated interference through ingested double-stranded RNA in <i>Caenorhabditis elegans</i> ," <i>Genome Biol. 2: Research</i> , 0002.1-0002.10 (20 Dec. 2000)
MI	Kamath, R.S. et al., "Systematic functional analysis of the <i>Caenorhabditis elegans</i> genome using RNAi," <i>Nature</i> , 421:231-237 (Jan. 2003)
MI	Kitamura et al., "Genetic analysis of a null-allele for lipoxygenase-3 in soybean seeds," <i>Crop Sci.</i> , 23:924-927 (October 1983)
MI	Kleinhofs, A. et al., "Induction and selection of specific gene mutations in <i>Hordeum</i> and <i>Pisum</i> ," <i>Mut. Res.</i> , 51:29-35 (1978)
MI	Kolomiets, M.V. et al., "Lipoxygenase is involved in the control of potato tuber development," <i>Plant Cell</i> , 13:613-626 (March 2001)
MI	Kuroda et al., "Characterization of factors involved in the production of 2(E)-nonenal during mashing," <i>Biosci. Biotechnol. Biochem.</i> , 67:691-697 (2003)
MI	Kusaba, M. et al., "Low glutelin content1: A dominant mutation that suppresses the <i>Glutelin</i> multigene family via RNA silencing in rice," <i>Plant Cell</i> , 15:1455-1467 (June 2003)
MI	Laemmli, U.K., "Cleavage of structural proteins during the assembly of the head of bacteriophage T4," <i>Nature</i> , 227:680-685 (15 Aug. 1970)
MI	León, J. et al., "Lipoxygenase H1 gene silencing reveals a specific role in supplying fatty acid hydroperoxides for aliphatic aldehyde production," <i>J. Biol. Chem.</i> , 277:416-423 (4 Jan. 2002)
MI	Lermusieau, G. et al., "Nonoxidative mechanism for development of trans-2-nonenal in beer," <i>J. Am. Soc. Brew. Chem.</i> , 57(1):29-33 (1999)

EXAMINER /Medina Ibrahim/	DATE CONSIDERED 10/16/2006
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

<b>FORM 1449*</b> <b>INFORMATION DISCLOSURE STATEMENT</b>  <b>IN AN APPLICATION</b> (Use several sheets if necessary)	Docket Number: 12845.0009US01	Application Number: 10/800200
	Applicant: Breddam et al.	
	Filing Date: March 11, 2004	Group Art Unit: 1638

MI	Liégeois, C. <i>et al.</i> , "Release of deuterated ( <i>E</i> )-2-nonenal during beer aging from labeled precursors synthesized before boiling," <i>J. Agric. Food Chem.</i> , 50:7634-7638 (2002) (web: 19 Nov. 2002)
MI	Maquat, L.E. and Carmichael, G.G., "Quality control of mRNA function," <i>Cell</i> , 104:173-176 (26 Jan. 2001)
MI	Matsui, K. <i>et al.</i> , "Effects of overexpression of fatty acid 9-hydroperoxide lyase in tomatoes ( <i>Lycopersicon esculentum</i> Mill.)," <i>J. Agric. Food Chem.</i> , 49:5418-5424 (2001) (web: 27 Oct. 2001)
MI	May, C. <i>et al.</i> , "The N-terminal $\beta$ -barrel structure of lipid body lipoxigenase mediates its binding to liposomes and lipid bodies," <i>Eur. J. Biochem.</i> , 267:1100-1109 (2000)
MI	McElroy, D. and Jacobsen, J., "What's brewing in barley biotechnology?" <i>Bio/Technology</i> , 13:245-249 (March 1995)
MI	Meilgaard, M.C., "Flavor chemistry of beer: Part II: Flavor and threshold of 239 aroma volatiles," <i>Tech. Q. MBAA</i> , 12:151-168 (1975)
MI	Melan, M.A. <i>et al.</i> , "An <i>Arabidopsis thaliana</i> lipoxigenase gene can be induced by pathogens, abscisic acid, and methyl jasmonate," <i>Plant Physiol.</i> , 101:441-450 (1993)
MI	Mendell, J.T. and Dietz, H.C., "When the message goes awry: Disease-producing mutations that influence mRNA content and performance," <i>Cell</i> , 107:411-414 (16 Nov. 2001)
MI	Narziss, L., "Centenary Review: Technological factors of flavour stability," <i>J. Inst. Brew.</i> , 92:346-353 (July-August 1986)
MI	Noël, S. and Collin, S., "Trans-2-nonenal degradation products during mashing," <i>Eur. Brew. Conv. Proc. Congr. 25th</i> , Brussels: 483-490 (1995)
MI	Noordermeer, M.A. <i>et al.</i> , "Fatty acid hydroperoxide lyase: A plant cytochrome P450 enzyme involved in wound healing and pest resistance," <i>ChemBioChem</i> , 2:494-504 (2001)
MI	Noordermeer, M.A. <i>et al.</i> , "Development of a biocatalytic process for the production of C6-aldehydes from vegetable oils by soybean lipoxigenase and recombinant hydroperoxide lyase," <i>J. Agric. Food Chem.</i> , 50:4270-4274 (2002) (web: 21 June 2002)
MI	Norden, A.J. <i>et al.</i> , "Variability in oil quality among peanut genotypes in the Florida breeding program," <i>Peanut Sci.</i> , 14:7-11 (1987)
MI	Nyborg, M. <i>et al.</i> , "Investigations of the protective mechanism of sulfite against beer staling and formation of adducts with <i>trans</i> -2-nonenal," <i>J. Am. Soc. Brew. Chem.</i> , 57:24-28 (1999)
MI	Ohtsu, K. <i>et al.</i> , "Flavor stability of packaged beer in relation to the oxidation of wort," <i>Brew. Dig.</i> , 61(6):18-23 (June 1986)
MI	Olsen, O. <i>et al.</i> , "Sodium azide mutagenesis: Preferential generation of A·T→G·C transitions in the barley <i>Ant18</i> gene," <i>Proc. Natl. Acad. Sci. USA</i> , 90:8043-8047 (Sept. 1993)
MI	Osorio, J. <i>et al.</i> , "Mutant sunflowers with high concentration of saturated fatty acids in the oil," <i>Crop Sci.</i> , 35:739-742 (May-June 1995)
MI	Parinov, S. and Sundaresan, V., "Functional genomics in Arabidopsis: Large-scale insertional mutagenesis complements the genome sequencing project," <i>Curr. Opin. Biotechnol.</i> , 11:157-161 (2000)
MI	Phillips, D.R. and Galliard, T., "Flavour biogenesis, partial purification and properties of a fatty acid hydroperoxide cleaving enzyme from fruits of cucumber," <i>Phytochemistry</i> , 17:355-358 (1978)
MI	Ramezanzadeh, F.M. <i>et al.</i> , "Prevention of oxidative rancidity in rice bran during storage," <i>J. Agric. Food Chem.</i> , 47:2997-3000 (1999) (web: 15 July 1999)
MI	Rancé, I. <i>et al.</i> , "The incompatible interaction between <i>Phytophthora parasitica</i> var. <i>nicotianae</i> race 0 and tobacco is suppressed in transgenic plants expressing antisense lipoxigenase sequences," <i>Proc. Natl. Acad. Sci. USA</i> , 95:6554-6559 (May 1998)
MI	Rasmussen, S.K. and Hatzack, F., "Identification of two low-phytate barley ( <i>Hordeum vulgare</i> L.) grain mutants by TLC and genetic analysis," <i>Hereditas</i> , 129:107-112 (1998)
MI	Rogers, K.R. <i>et al.</i> , "Lipid peroxidation is a consequence of elicitor activity," <i>Plant Physiol.</i> , 86:547-553 (1988)
MI	Rouster, J. <i>et al.</i> , "Identification of a methyl jasmonate-responsive region in the promoter of a lipoxigenase I gene expressed in barley grain," <i>Plant J.</i> , 11:513-523 (1997)

EXAMINER	/Medina Ibrahim/	DATE CONSIDERED	10/16/2006
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.			

<b>FORM 1449*</b> <b>INFORMATION DISCLOSURE STATEMENT</b>  <b>IN AN APPLICATION</b>  (Use several sheets if necessary)	Docket Number: 12845.0009US01	Application Number: 10/800200
	Applicant: Breddam et al.	
	Filing Date: March 11, 2004	Group Art Unit: 1638

MI		Royo, J. <i>et al.</i> , "Antisense-mediated depletion of a potato lipoxygenase reduces wound induction of proteinase inhibitors and increases weight gain of insect pests," <i>Proc. Natl. Acad. Sci. USA</i> , 96:1146-1151 (Feb. 1999)
MI		Rustérucci, C. <i>et al.</i> , "Involvement of lipoxygenase-dependent production of fatty acid hydroperoxides in the development of the hypersensitive cell death induced by cryptogein on tobacco leaves," <i>J. Biol. Chem.</i> , 274:36446-36455 (17 Dec. 1999)
MI		Sambrook, J. <i>et al.</i> , "Molecular Cloning: A Laboratory Manual, 2nd Ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York," ISBN, 0-87969-309-6, 5 pages (1989)
MI		Sambrook, J. and Russell, D.W., "Molecular Cloning. A Laboratory Manual, 3rd Ed.," Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York," ISBN, 0-87969-577-3, 11 pages (2001)
MI		Saravitz, D.M. and Siedow, J.N., "The differential expression of wound-inducible lipoxygenase genes in soybean leaves," <i>Plant Physiol.</i> , 110:287-299 (1996)
MI		Schmitt, N.F. and Van Mechelen, J.R., "Expression of lipoxygenase isoenzymes in developing barley grains," <i>Plant Sci.</i> , 128:141-150 (1997)
MI		Soldatov, K.I., "Chemical mutagenesis in sunflower breeding," <i>In: Proceedings of the VIIth International Sunflower Conference (27 June-3 July, 1976) Krasnodar, USSR</i> , - International Sunflower Association, Toowoomba, Australia, Vol. 1, pp 352-357 (1976)
MI		Srivastava, S. <i>et al.</i> , "Structural and kinetic determinants of aldehyde reduction by aldose reductase," <i>Biochemistry</i> , 38:42-54 (1999) (web: 12/10/1998)
MI		Start, W.G. <i>et al.</i> , "Two soybean seed lipoxygenase nulls accumulate reduced levels of lipoxygenase transcripts," <i>Plant Mol. Biol.</i> , 7:11-23 (1986)
MI		Tatulian, S.A. <i>et al.</i> , "Uncovering a calcium-regulated membrane-binding mechanism for soybean lipoxygenase-1," <i>Biochemistry</i> , 37:15481-15490 (1998) (web: 10/16/1998)
MI		Tijet, N. <i>et al.</i> , "Biogenesis of volatile aldehydes from fatty acid hydroperoxides: Molecular cloning of a hydroperoxide lyase (CYP74C) with specificity for both the 9- and 13-hydroperoxides of linoleic and linolenic acids," <i>Arch. Biochem. Biophys.</i> , 386:281-289 (15 Feb. 2001)
MI		Tingay, S. <i>et al.</i> , "Agrobacterium tumefaciens-mediated barley transformation," <i>Plant J.</i> , 11:1369-1376 (1997)
MI		Towbin, H. <i>et al.</i> , "Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: Procedure and some applications," <i>Proc. Natl. Acad. Sci. USA</i> , 76:4350-4354 (Sept. 1979)
MI		Turner, J.G. <i>et al.</i> , "The jasmonate signal pathway," <i>Plant Cell</i> , 14:S153-S164 (2002)
MI		Vancanneyt, G. <i>et al.</i> , "Hydroperoxide lyase depletion in transgenic potato plants leads to an increase in aphid performance," <i>Proc. Natl. Acad. Sci. USA</i> , 98:8139-8144 (3 July 2001)
MI		van Mechelen, J.R. <i>et al.</i> , "Primary structure of a lipoxygenase from barley grain as deduced from its cDNA sequence," <i>Bioche. Biophys. Acta</i> , 1254:221-225 (1995)
MI		van Mechelen, J.R. <i>et al.</i> , "Molecular characterization of two lipoxygenases from barley," <i>Plant Mol. Biol.</i> , 39:1283-1298 (1999)
MI		von Wettstein, D. <i>et al.</i> , "Biochemical mutant in barley renders chemical stabilization of beer superfluous," <i>Carlsberg Res. Commun.</i> , 42:341-351 (1977)
MI		von Wettstein, D. <i>et al.</i> , "Proanthocyanidin-free barley for brewing: Progress in breeding for high yield and research tool in polyphenol chemistry," <i>Tech. Q. MBAA</i> , 22:41-52 (1985)
MI		Wan, Y. and Lemaux, P.G., "Generation of large numbers of independently transformed fertile barley plants," <i>Plant Physiol.</i> , 104:37-48 (1994)
MI		Wang, J. <i>et al.</i> , "Alternatively spliced TCR mRNA induced by disruption of reading frame," <i>Science</i> , 297:108-110 (5 July 2002)
MI		Wang, M.-B. <i>et al.</i> , "Agrobacterium tumefaciens-mediated transformation of an elite Australian barley cultivar with virus resistance and reporter genes," <i>Aust. J. Plant Physiol.</i> , 28:149-156 (2001)
MI		Wang, W.H. <i>et al.</i> , "Molecular basis of a null mutation in soybean lipoxygenase 2: Substitution of glutamine for an iron-ligand histidine," <i>Proc. Natl. Acad. Sci. USA</i> , 91:5828-5832 (June 1994)

EXAMINER /Medina Ibrahim/	DATE CONSIDERED 10/16/2006
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

<b>FORM 1449*</b> <b>INFORMATION DISCLOSURE STATEMENT</b>  <b>IN AN APPLICATION</b> (Use several sheets if necessary)	Docket Number: 12845.0009US01	Application Number: 10/800200
	Applicant: Breddam et al.	
	Filing Date: March 11, 2004	Group Art Unit: 1638

MI		Wang, W.-H. <i>et al.</i> , "Two single-base substitutions involved in altering in a paired-box of AAATAC in the promoter region of soybean lipoxygenase L-3 gene impair the promoter function in tobacco cells," <i>Plant Sci.</i> , 109:67-73 (1995)
MI		Weber, H. <i>et al.</i> , "Divinyl ether fatty acid synthesis in late blight-diseased potato leaves," <i>Plant Cell</i> , 11:485-493 (March 1999)
MI		Wesley, S.V. <i>et al.</i> , "Construct design for efficient, effective and high-throughput gene silencing in plants," <i>Plant J.</i> , 27:581-590 (2001)
MI		White, J. <i>et al.</i> , "A cassette containing the <i>bar</i> gene of <i>Streptomyces hygrosopicus</i> : A selectable marker for plant transformation," <i>Nucleic Acids Res.</i> , 18:1062 (1990)
MI		Zhang, Y. <i>et al.</i> , "Expression of antisense SnRK1 protein kinase sequence causes abnormal pollen development and male sterility in transgenic barley," <i>Plant J.</i> , 28:431-441 (2001)

**23552**

PATENT TRADEMARK OFFICE

EXAMINER	/Medina Ibrahim/	DATE CONSIDERED	10/16/2006
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.			



FORM 1449\*

## INFORMATION DISCLOSURE STATEMENT

Docket Number:

12845.0009US01

Application Number:

10/800,200


IN AN APPLICATION

(Use several sheets if necessary)

Applicant: Breddam et al.

Filing Date: March 11, 2004

Group Art Unit: 1638



## U.S. PATENT DOCUMENTS

EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
MI	US2003/0167544	09/04/2003				

## FOREIGN PATENT DOCUMENTS

	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
						YES	NO
MI	EP 1 609 866	12/28/2005	Europe				

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

MI		Drost et al., "Flavor Stability." <i>ASBC Journal</i> , 1990. Vol. 48(4), pp.124-131.
MI		Kuroda et al., "Characterization of Factors That Transform Linoleic Acid into Di- and Trihydroxyoctadecenoic Acids in Mash." <i>Journal of Bioscience and Bioengineering</i> , 2002. Vol. 93(1) pp. 73-77.
MI		Kuroda et al., "Enzymes that Transform Linoleic Acid into Di- and Trihydroxyoctadecenoic Acids in Malt." <i>BAA TQ</i> , 2003. Vol. 40(1) pp.11-16.
MI		Kobayashi et al., "Behavior of Mono-, Di- and Trihydroxyoctadecenoic Acids during Mashing and Methods of Controlling Their Production." <i>Journal of Bioscience and Bioengineering</i> , 2000. Vol. 90(1) pp. 69-73.
MI		Rutgersson et al., "Optimization of Temperature, Time and Lactic Acid Concentration to Inactivate Lipoxigenase and Lipase and Preserve Phytase Activity in Barley (cv. Blenheim) During Soaking." <i>Cereal Chemistry</i> , 1997. Vol. 74(6) pp. 727-732.

23552

PATENT TRADEMARK OFFICE

EXAMINER /Medina Ibrahim/	DATE CONSIDERED 10/16/2006
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	